

Breezy 600 FSS NET ORDER FORM/PRICE LIST (SIN F-1)

EIB60, FEBRUARY 1, 2009

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: www.sunrisemedical.com

ACCOUNT INFORMATION

Account No: _____

Drop Ship/Ship To: _____

Date: _____

Name: _____

P.O. #: _____

Address: _____

Buyer: _____

City: _____ State: _____

Marked For: _____

Zip Code: _____ Phone Number: _____

BREEZY 600

(Note: Hangers not included in base price)

☐ K0004 Breezy 600 \$299.13

Frame Color

☐ Forest Green Std
☐ Silver Texture NC
☐ Blue NC
☐ Black NC

SEATING

Seat to Floor Height Range

☐ Standard (15" - 20 1/2", see matrix) Std
☐ Ultra Hemi (13" - 18", see matrix) NC

Seat Width

☐ 14" Std
☐ 16" Std
☐ 18" Std
☐ E2201 20" \$42.09

Seat Depth

☐ 16" Std
☐ 18" NC

Seat Height

☐ 13" \$28.56
☐ 14" \$28.56
☐ 14 1/2" \$28.56
☐ 15" \$28.56
☐ 15 1/2" \$28.56
☐ 16" \$28.56
☐ 16 1/2" \$28.56
☐ 17" NC
☐ 17.5" NC
☐ 18" NC
☐ 18.5" NC
☐ 19" ¹² NC
☐ 19.5" ¹² NC
☐ 20" ¹² NC
☐ 20.5" ¹² NC

Seat Sling

☐ Padded Seat Sling \$4.51
☐ Nonpadded Seat Sling ² Std
☐ Omit Seat Sling NC

Cushion

To order any of the following JAY cushions on-chair, please see the on-chair order form.

☐ Jay Basic See OF
☐ Jay Easy See OF
☐ Jay Soft Combi P See OF
☐ Jay J2 See OF
☐ Jay J2 DC See OF
☐ Jay Lite See OF
☐ 2" \$28.56
☐ Omit Cushion Std

BACKREST (16"-19", 8" w/ Push Handles)

☐ Jay J3 Back ¹⁵
 Please see the J3 Back order form for part #'s.
☐ Adjustable w/tall backcanes ¹ \$4.51
☐ Omit Back Upholstery -\$3.01

ARMRESTS

Flip Back Armrests

☐ Fixed Height, Desk Length Std
☐ Fixed Height, Full Length NC
☐ E0973 Height-Adjustable, Desk Length \$70.65
☐ E0973 Height-Adjustable, Full Length \$70.65

FOOTREST

Hanger Type

☐ 60° Swing-Away Hemi ^{1,3} \$42.09
☐ 60° Swing-Away ⁴ \$42.09
☐ 70° Swing-Away ^{4,5} \$42.09
☐ K0053 Articulating Legrests ^{4,6,7,8,9} \$124.76
☐ K0195 Elevating Legrests ^{4,10} \$64.64

Footrest Extension Tubes

☐ Short (13"-15 1/2") ^{4,11} NC
☐ Medium (15 1/2" - 18") ^{4,6} Std
☐ Long (18" - 20 1/2") ^{4,6,12} \$10.52
☐ Omit Ext. Tubes & Footplates NC

Footplates

☐ Composite w/Heel Loops ¹³ Std
☐ Aluminum ¹⁴ NC
☐ E0951, K0040 Adult Angle-Adjustable w/Heel Loops ¹⁵ \$37.58

CASTERS

☐ 5" Polyurethane NC
☐ 8" Polyurethane Std
☐ 8" Pneumatic ⁶ \$25.55

Footnotes:

- ¹ Not available when using Standard frame.
² For use with cushion.
³ Only available with standard hemi extension tube.
⁴ Not available with Ultra Hemi frame.
⁵ Not available with 8" pneumatic casters.
⁶ Not available with 20" rear wheels when using Standard frame.
⁷ Only available with 8" casters.
⁸ Not available with 14" seat width.
⁹ Pull-to-lock wheel locks required.
¹⁰ Not available with composite footplates.
¹¹ Not available with articulating legrest.
¹² Must use 1-1/2" stem.
¹³ Not available with ELR.
¹⁴ Only available with ELR
¹⁵ To order a J3 Back please select Omit Back Upholstery.
 Please note: The J3 Back requires back canes or push handles.

PROPER USE OF HCPCS CODES DOES NOT ENSURE COVERAGE OR PAYMENT. FOR COVERAGE INFORMATION, VERIFY THE APPROPRIATE PAYER'S COVERAGE POLICY.

Caster Options		
<input type="checkbox"/>	1-1/2" Fork Stem (Double Bearing)	\$10.52
<input type="checkbox"/>	Double Bearing Caster Plate	\$10.52
AXLES AND WHEELS		
Axle		
<input type="checkbox"/>	Threaded Offset Axles	Std
<input type="checkbox"/>	Quick-Release Rear Axles	\$28.56
<input type="checkbox"/>	E0958 One-Arm Drive ^{7,8}	\$204.43
<input type="checkbox"/>	Left Mount	
<input type="checkbox"/>	Right Mount	
Anti-Tip Tubes		
<input type="checkbox"/>	E0971 Rear Anti-Tip Tubes	\$39.08
Rear Wheel Size		
<input type="checkbox"/>	20"	NC
<input type="checkbox"/>	22"	NC
<input type="checkbox"/>	24"	Std
Rear Wheel Tires		
<input type="checkbox"/>	Low-profile Polyurethane ^{1,5}	Std
<input type="checkbox"/>	Full-profile Polyurethane ^{2,5}	\$22.55
<input type="checkbox"/>	Pneumatic ⁵	\$49.60
<input type="checkbox"/>	E2213 Pneumatic w/Airless Insert ^{5,6}	\$64.64
Handrims		
<input type="checkbox"/>	Composite ⁵	Std
<input type="checkbox"/>	Aluminum - painted ⁵	NC
<input type="checkbox"/>	Aluminum - anodized ⁵	\$9.02
<input type="checkbox"/>	Plastic Coated ⁵	\$25.55
<input type="checkbox"/>	Omit Handrims ⁵	-\$4.51
Projections ^{3,5}		
<input type="checkbox"/>	Vertical - 8	\$69.14
<input type="checkbox"/>	Vertical - 12	\$69.14
<input type="checkbox"/>	Oblique - 8	\$69.14
<input type="checkbox"/>	Oblique - 12	\$69.14
Wheel Locks		
<input type="checkbox"/>	High-Push Breezy-Style	Std
<input type="checkbox"/>	High-Pull Breezy-Style	NC
<input type="checkbox"/>	High-Push Quickie-Style	\$12.03
<input type="checkbox"/>	High-Pull Quickie-Style	\$12.03
Wheel Lock Options		
<input type="checkbox"/>	E0961 6" Ext. Handles with Bungee	\$60.00
<input type="checkbox"/>	E0974 Grade Aids ^{4,9}	\$90.00
ACCESSORIES		
Backpack & Seat Pouch		
<input type="checkbox"/>	Utility Back Pack (Black/Charcoal)-	Open Market
<input type="checkbox"/>	Seat Pouch (Black/Charcoal)-	Open Market
Pelvic Positioning Belt		
<input type="checkbox"/>	E0978 Aircraft Buckle (2" wide)	\$25.55
<input type="checkbox"/>	E0978 1.5" Auto Buckle	\$15.03
Touch-up Paint		
<input type="checkbox"/>	Color: _____	\$7.52
Wheelchair Tray Table - Tuffak		
<input type="checkbox"/>	E0950 Medium (15"-17")	\$60.13
<input type="checkbox"/>	E0950 Large (18"-20")	\$60.13

Miscellaneous		
<input type="checkbox"/>	Caddy	\$13.53
<input type="checkbox"/>	E2207 Crutch Holder	\$19.54
<input type="checkbox"/>	Tool Kit-	Open Market

See Sunrise Seating Solutions on reverse side.

TOTAL CHAIR PRICE: \$ _____

FOOTNOTES:

- ¹ Not available with Projection Handrims.
- ² "No Charge" option when used with Projection Handrims.
- ³ Not available with Low-profile polyurethane tires. Full-profile Polyurethane tires available as "No Charge" option. Requires 24" rear wheels.
- ⁴ Not available with Polyurethane tires.
- ⁵ Not available with 24" Mag SLT
- ⁶ Must order Pneumatic tire with Flat Free Insert
- ⁷ Not available with Ultra Hemi frame.
- ⁸ Not available with Quick-Release Rear Axles.
- ⁹ Grade Aids require Quickie style wheel locks

Sunrise Medical
7477 E. Dry Creek Pkwy
Longmont, CO 80503
(800) 333-4000



The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Standard** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
15.0"	5" lp	N/A	N/A	N/A	N/A
16.0"	5" lp	5" lp	N/A	N/A	N/A
16.5"	5" lp	5" lp	N/A	N/A	N/A
17.0"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
17.5"	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp	5" lp & 1-1/2" stem or 8" lp
18.0"	N/A	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem
18.5"	N/A	8" lp *20" full poly not recommended	8" lp	8" lp	8" lp
19.0"	N/A	N/A	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
19.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem
20.0"	N/A	N/A	N/A	N/A	8" lp & 1-1/2" stem
20.5"	N/A	N/A	N/A	N/A	8" pneu & 1-1/2" stem

The chart below specifies which casters and rear wheels are necessary to achieve the front seat heights listed below for **Ultra Hemi** frames.

Seat Height	Rear Wheels				
	20" Low Poly	20" Full Poly/Pneu 22" Low Poly	22" Full Poly/Pneu	24" Low Poly	24" Full Poly/Pneu
13.0"	5" lp	N/A	N/A	N/A	N/A
14.0"	5" lp	5" lp	N/A	N/A	N/A
14.5"	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	5" lp & 1-1/2" stem	N/A
15.0"	8" lp	8" lp	8" lp	8" lp	N/A
15.5"	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem	8" lp or 5" lp & 1-1/2" stem
16.0"	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu	8" lp or 8" pneu
16.5"	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem	8" lp & 1-1/2" stem
17.0"	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu	8" lp & 1-1/2" stem or 8" pneu
17.5"	N/A	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu	1-1/2" stem & 8" lp or 8" pneu
18.0"	N/A	N/A	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem	8" pneu & 1-1/2" stem